

ATOM

design
Domus Line

Recessed LED spotlight

Materials:

thermoplastic polymers, polycarbonate

Finish:

black, chrome plated, aluminium, satin nickel, white matt

Light source:

LGP LED module

Wiring:







79" (2000mm)

Application type:

universal

Installation:


Recessed



Colour appearance natural white
Colour temperature 4000 Kelvin
Luminous flux 195 lm
Luminous efficiency 65 lm/W
CRI Ra ≥ 80

Colour appearance warm white
Colour temperature 3000 Kelvin
Luminous flux 180 lm
Luminous efficiency 60 lm/W
CRI Ra ≥ 80

Colour appearance super warm white
Colour temperature 2700 Kelvin
Luminous flux 180 lm
Luminous efficiency 60 lm/W
CRI Ra ≥ 80



ATOM



Code	Watt & Volt	Light colour
13642__N	3W @ 24Vdc	natural white
13642__B	3W @ 24Vdc	warm white
13642__B1	3W @ 24Vdc	super warm white

Code	Finish
03	black
09	chrome plated
10	aluminium
17	satın nickel
54	matt white

LED CONVERTER NOT INCLUDED. TO BE ORDERED SEPARATELY.



SETS OF 2, 3, 4 OR 5 ATOM AND LED CONVERTER ARE AVAILABLE ON REQUEST.



ATOM is a spotlight designed for recessed installation in a hole Ø 2-14" (57mm) just 5/16" (8mm) deep. It is installed on wood panels with both through and blind holes. ATOM incorporates a special LED module with LPG diffuser, ensuring a uniform projection beam without the dot effect.



Spacers are available on request for surface installation:

Code	Finish
20080__	see finishes codes



Inclined spacers are available on request for surface installation:

Code	Finish
20079__	see finishes codes



FOR LED CONVERTERS AND ACCESSORIES SEE PAGE 200.

FINISHES



BLACK (code 03)



CHROME PLATED (code 09)



ALUMINIUM (code 10)



SATIN NICKEL (code 17)



WHITE MATT (code 54)