



CUBIT XL

design
Domus Line

Recessed LED spotlight

Materials:

thermoplastic polymers, PMMA

Finishes

chrome plated, aluminium, satin nickel, steel

Light source:

SMD LED module

Wiring:

79" (2000mm)







Application type:

universal

Installation:

recessed

Patented



Colour appearance natural white
Colour temperature 4300 Kelvin
Luminous flux 390 lm
Luminous efficiency 130 lm/W
CRI Ra ≥ 80

Colour appearance warm white
Colour temperature 3000 Kelvin
Luminous flux 360 lm
Luminous efficiency 120 lm/W
CRI Ra ≥ 80

Colour appearance super warm white
Colour temperature 2700 Kelvin
Luminous flux 360 lm
Luminous efficiency 120 lm/W
CRI Ra ≥ 80




CUBIT XL PLUS



Code	Watt & Volt	Light colour
13650__N	3W @ 12Vdc	natural white
13650__B	3W @ 12Vdc	warm white
13650__B1	3W @ 12Vdc	super warm white

Code	Finish
09	chrome plated
10	aluminium
17	satin nickel
19	steel

LED CONVERTER NOT INCLUDED. TO BE ORDERED SEPARATELY.



SETS OF 2, 3, 4 OR 5 CUBIT XL PLUS AND LED CONVERTER ARE AVAILABLE ON REQUEST.



CUBIT XL is a spotlight designed for **recessed installation in a hole Ø 2-11/16" (68mm) just 15/32" (12mm) deep**. It is installed on wood panels with both through and blind holes. CUBIT XL incorporates a high-performance SMD LED module with **no-dot effect technology**, ensuring a uniform projection beam without the dot effect. CUBIT XL PLUS features the innovative **Plug&Play system (patented)**, for easy disconnection of the power cord from the spotlight.



FINISHES



CHROME PLATED (code 09)



ALUMINIUM (code 10)



SATIN NICKEL (code 17)



STEEL (code 19)



FOR LED CONVERTERS AND ACCESSORIES SEE PAGE 200.