DOMUS LINE

IO-S

IO-S D-M SD

with sensor-dimmer switches

Code	Watt	Volt	Finishes
F0294000005	64W	230VAC	black
F0294000006	64W	230VAC	bronze

The side sensor-dimmer switches allow switching on, switching off, adjust the brightness (5-100%) and selecting the colour temperature in WHC (White Changeable) mode of the light sources integrated into the frame (right switch) and mirror (left switch). The middle sensor switch allows the activation of the anti-fog system.

The device is secured against splashing water from all directions, without it penetrating in harmful quantities (IP44).



Colour appearance	D-Motion white
Colour temperature	2700 - 4000 K
Luminous flux	770 lm/m
Luminous efficiency	80 lm/W
CRI	Ra 90

IO-S D-M

IP44

single frame with round mirror

IO-S D-Motion is a mirror with structural frame consisting of a vertical profile for wall installation and two horizontal profiles with shelves, recommended for use in bathroom. IO-S D-M integrates a dimmable dual colour LED light sources and three switches (IO-S D-M SD) that allow switching on, switching off, adjusting the brightness (10-100%) and selecting the colour temperature in WHC (White Changeable) mode. The middle sensor switch activates the anti-fogging system. Integrated power supply.

black

bronze

This product contains a light source of energy efficiency class **G**.



SHELF

with fixing profile

Code	Finishing
F0006000005	black
F0006000006	bronze



TOWEL RAIL

Code	Finishing
F0006000008	black
F0006000009	bronze





GLASS / HAIR DRYER HOLDER

with fixing profile

Code	Finishing
F0006000011	black
F0006000012	bronze



GLASS

Code	Finishing
F0006000014	black
F0006000015	bronze